Brunswick

PBA Est. 1958 PROFESSIONAL BOWLERS ASSOCIATION

Official Lane Maintenance Provider

DIRECT+ Conditioning System

MAX

Pattern Information

Date	02-Aug-2026
Pattern Type	SPORT
Pattern Difficulty	HIGH
Pattern Volume (ml)	32.60

Pattern Parameters

Split Pattern	No
Pattern Name	26-27NCAA6
Start Cleaner Spray	0
Start Squeegee	0
Start Oiling	6

Supplies Information

Lane Cleaner	
Cleaner Mixture Ratio	4 : 1
Cleaner Spray End Distance	50
Lane Conditioner	

Surface Information

Surface Type	
Surface Brand	
Age	

SPORT	<4 : 1
CHALLENGE	4-8 : 1
RECREATIONAL	>8 : 1

USBC Ratio Definitions

Notes: 2026-2027 NCAA 6

Zone	1	2	3	4	5	6	7	8	Pattern Ratio by Volume (3-7:18-18)
Zone End Distance	6	11	17	22	30	35	44		
Zone Ratio L	2.2 : 1	2.6 : 1	3.1 : 1	3.6 : 1	3.5 : 1	3.5 : 1	:	:	L 2.93 :1
Zone Ratio R	2.2 : 1	2.6 : 1	3.1 : 1	3.6 : 1	3.5 : 1	3.5 : 1	:	:	R 2.93 :1
Zone Volume (ml)	7.45	5.96	6.71	4.76	5.57	2.15	0.00		

ZONE	7 Pin Side																		Board Number										10 Pin Side								
	L1	L2	L3	L4	L5	L6	L7	L8	L9	L10	L11	L12	L13	L14	L15	L16	L17	L18	L19	C20	R19	R18	R17	R16	R15	R14	R13	R12	R11	R10	R9	R8	R7	R6	R5	R4	R3	R2	R1
1	0	44	44	44	44	44	49	70	92	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	92	70	49	44	44	44	44	44	0
2	0	37	37	37	37	37	42	63	82	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	82	63	42	37	37	37	37	37	0
3	0	31	31	31	31	31	35	50	66	86	93	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	93	86	66	50	35	31	31	31	31	31	0
4	0	24	24	24	24	24	27	39	52	67	74	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	74	67	52	39	27	24	24	24	24	24	0
5	0	18	18	18	18	18	20	29	37	49	53	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	53	49	37	29	20	18	18	18	18	18	0
6	0	11	11	11	11	11	12	18	23	31	34	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	34	31	23	18	12	11	11	11	11	11	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Brunswick® DIRECT+ Conditioning System MAX

26-27NCAA6

Crosswise Ratios (by units)

	Zone 1	Average	Ratio
3L-7L	Left =	45.0	2.2
3R-7R	Right=	45.0	2.2
18L-18R	Center =	100.0	

	Zone 2	Average	Ratio
3L-7L	Left =	38.0	2.6
3R-7R	Right=	38.0	2.6
18L-18R	Center=	100.0	

	Zone 3	Average	Ratio
3L-7L	Left =	31.8	3.1
3R-7R	Right=	31.8	3.1
18L-18R	Center=	100.0	

	Zone 4	Average	Ratio
3L-7L	Left =	24.6	3.6
3R-7R	Right=	24.6	3.6
18L-18R	Center =	89.0	

	Zone 5	Average	Ratio
3L-7L	Left =	18.4	3.5
3R-7R	Right=	18.4	3.5
18L-18R	Center=	65.0	

	Zone 6	Average	Ratio
3L-7L	Left =	11.2	3.5
3R-7R	Right=	11.2	3.5
18L-18R	Center=	40.0	

	Zone 7	Average	Ratio
3L-7L	Left =	0.0	
3R-7R	Right=	0.0	
18L-18R	Center =	0.0	

	Zone 8	Average	Ratio
3L-7L	Left =	0.0	
3R-7R	Right=	0.0	
18L-18R	Center=	0.0	

Crosswise Ratios (by ml)

	Zone 1	Average	Ratio
3L-7L	Left =	0.113	2.2
3R-7R	Right=	0.113	2.2
18L-18R	Center =	0.251	

	Zone 2	Average	Ratio
3L-7L	Left =	0.080	2.6
3R-7R	Right=	0.080	2.6
18L-18R	Center=	0.210	

	Zone 3	Average	Ratio
3L-7L	Left =	0.080	3.1
3R-7R	Right=	0.080	3.1
18L-18R	Center=	0.251	

	Zone 4	Average	Ratio
3L-7L	Left =	0.052	3.6
3R-7R	Right=	0.052	3.6
18L-18R	Center =	0.187	

	Zone 5	Average	Ratio
3L-7L	Left =	0.062	3.5
3R-7R	Right=	0.062	3.5
18L-18R	Center=	0.218	

	Zone 6	Average	Ratio
3L-7L	Left =	0.023	3.5
3R-7R	Right=	0.023	3.5
18L-18R	Center=	0.084	

	Zone 7	Average	Ratio
3L-7L	Left =	0.000	
3R-7R	Right=	0.000	
18L-18R	Center =	0.000	

	Zone 8	Average	Ratio
3L-7L	Left =	0.000	
3R-7R	Right=	0.000	
18L-18R	Center=	0.000	

The above crosswise ratios are calculated by the average units of oil for boards 18L - 18R and divided by the average units of oil for board 3 - 7 left and right.



3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Outside Track: Middle	Middle Track: Middle	Inside Track: Middle	Middle: Inside Track	Middle: Middle Track	Middle: Outside Track
2.93	1.24	1.00	1.00	1.24	2.93

Brunswick® DIRECT+ Conditioning System MAX

Lengthwise Ratio By Area			
	3L-7L	18L-18R	3R-7R
	Left	Center	Right
Zone 2	1.1	1.0	1.1
Zone 3	1.4	1.0	1.4
Zone 4	1.8	1.1	1.8
Zone 5	2.4	1.5	2.4
Zone 6	4.0	2.5	4.0
Zone 7			
Zone 8			

25-26NCAA6

Lengthwise Ratio By Board (units & ml)

	7 Pin Side											Board Number																												
Zone	L1	L2	L3	L4	L5	L6	L7	L8	L9	L10	L11	L12	L13	L14	L15	L16	L17	L18	L19	C20	R19	R18	R17	R16	R15	R14	R13	R12	R11	R10	R9	R8	R7	R6	R5	R4	R3	R2	R1
2		1.2	1.2	1.2	1.2	1.2	1.2	1.1	1.1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.1	1.2	1.2	1.2	1.2	1.2	1.2	
3		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.2	1.1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.1	1.2	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	
4		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.5	1.4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.4	1.5	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	
5		2.4	2.4	2.4	2.4	2.4	2.5	2.4	2.5	2.0	1.9	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.9	2.0	2.5	2.4	2.5	2.4	2.4	2.4	2.4	2.4	
6		4.0	4.0	4.0	4.0	4.0	4.1	3.9	4.0	3.2	2.9	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.9	3.2	4.0	3.9	4.1	4.0	4.0	4.0	4.0	4.0	
7																																							
8																																							

The lengthwise ratios are calculated from the volumes in the first zone.


24-25NCAA6
55
50
45
40
35
30
25
20
15
10
5