



Lighting Performance Checklist: Ice/Roller Hockey

Prior to being approved for a televised event, facility must submit this checklist during the championship bid process to the championship administrator. Phone: 317/917-6222.

Inspection must be completed by a qualified lighting technician using a light meter calibrated within the last 12 months.

Press "TAB" to navigate to cells to enter required data. Average light levels and uniformity values automatically calculate when data is entered from light readings at each point on the field.

Light Levels Taken In: Footcandles Lux

Date of Inspection: _____ Inspected By: _____

College/Organization Name: _____ Seating Capacity: _____

College/Organization Contact: _____

Telephone: _____ Email: _____

Facility Address: _____ City, State, Zip: _____

Notes:

Grid field as shown on the drawing below. Readings are taken in the middle of each square with light meter held 36 inches above ground, pointing up.

Number of grid points will vary depending on field size and layout.


To obtain average light level value:

1. Record light level readings within each square
2. Total all readings, divide by number of grid readings taken

To obtain uniformity ratio:

1. Divide highest (maximum) light level reading by the lowest (minimum) light level reading

14' x 14' grid



Take reading in center of grid area.



Instructions – Horizontal Light Level Readings: Complete for all surveys.

If outdoors, click outside the field perimeter to select approximate pole locations on the layout below.

Horizontal Light Level and Field Survey Results:	
Average light levels:	_____
Uniformity:	_____
(If outdoor) Quantity of poles:	_____
Total # luminaires:	_____
# luminaires operational:	_____
Lamp wattage:	_____
System voltage (if available):	_____
Date lighting system installed:	_____
Lighting manufacturer:	_____
Date of last group relamp:	_____
Annual hours of operation:	_____
Light meter brand:	_____
Model #:	_____
Calibration date:	_____
Include facility photographs that may be helpful for camera or temporary lighting equipment locations, such as standing on the center line pointing towards hanging scoreboard, and any obstructions on the catwalks where fixtures are unable to be located.	

Field Orientation:

(Please indicate field orientation in cells around diagram to the right.)



College/Organization Name: _____

Center Line Camera Vertical Light Level Readings:
Complete only if televised levels apply.



Readings are taken in the middle of each square with light meter held 36 inches above the ground, pointing towards center line camera.

Center Line Camera Vertical Light Level Results:
Average light levels: _____
Uniformity: _____



Required:
Take picture standing at camera location, facing field of play to evaluate skip glare.

Field Orientation:





End Line Camera Vertical Light Level Readings:
Complete only if televised levels apply.

Readings are taken in the middle of each square with light meter held 36 inches above the ground, pointing towards the end line camera.

End Line Camera Vertical Light Level Results:
Average light levels: _____
Uniformity: _____

Field Orientation:





College/Organization Name: _____

Opposite Center Line Camera Vertical Light Level Readings:
Complete only if televised levels apply.

Readings are taken in the middle of each square with light meter held 36 inches above the ground, pointing towards center line camera.

Opposite Center Line Camera Vertical Light Level Results:
Average light levels: _____
Uniformity: _____

Field Orientation:



End Line Camera Vertical Light Level Readings:
Complete only if televised levels apply.

Readings are taken in the middle of each square with light meter held 36 inches above the ground, pointing towards the end line camera.

End Line Camera Vertical Light Level Results:
Average light levels: _____
Uniformity: _____

Field Orientation:

